


OF WOODEN FLOORS, ING THE DUST.



HTF-2 ORBITAL FLOOR SANDER

A powerful orbital action floor sander designed for sanding all types of wood floor that require re-finishing and new floors that require sanding before finishing. Ideal for sanding pre-finished plank and parquet wood floors, screen and re-coat work, cork floors and between coats of varnish. The finally balanced orbital action sands a smooth finish free from swirl and sanding marks. The handle pivots in operation providing the ideal working height at all times and is removed in seconds for easy transport. The sanding pad drive is via a toothed timing belt and steel gears delivering the power and torque to drive coarse grit abrasives up to 36 grit. A powerful vacuum system minimizes airborne dust and particles. Protecting existing decorations when re-finishing a floor and controlling harmful particles of old varnish.



HT8-1.2 FLOOR SANDER


A high performance drum floor sander designed for the rental and building maintenance markets. A powerful four brush motor drives a dynamically balanced sanding drum which is covered in a unique drum rubber. The tough drum rubber resists abrasion and damage caused by exposed nails. While the heavy duty self cooling four brush motor, will not stall or slow down under load when sanding with coarse grit abrasives, removing old finishes and deposits of wax and dirt. Use on all solid wood floors that require rapid sanding and levelling to a fine score free finish. Quick setup and ease of operation make the HT8 the popular choice of rental and professional users. Simple and speedy service routines minimize down time and the drum rubber is easy to replace when needed in just 20 minutes.

**FLOOR
TEAM**

Sanders For

Beautiful

Wooden Floors.




HIRETECH
HTB-1
Floor Sander
SER. NO. HTB702970
220-240V 50/60Hz
6A 1000W
MADE IN ENGLAND
HIRETECH WATFORD
Herts.


HIRETECH
WARNING / AVERTISSEMENT / ATTENTION

2000
HIRETECH
WATFORD
Herts.

FLOOR TEAM



**HT7-2 DISC
FLOOR SANDER**



**HTF-2
FLOOR SANDER**



**HT8-1.2
FLOOR SANDER**

Power Supply	110/120 V 50/60 Hz	220/250 V 50/60 Hz	110/120 V 50/60 Hz	220/250 V 50/60 Hz	110/120 V 50/60 Hz	220/250 V 50/60 Hz
Off load current	8A	5A	8A	5A	8A	5A
Average on load current	15A	8A	15A	8A	15A	8A
Noise	95dBa at .1m(3'3")		95dBa at .1m(3'3")		100dBa at .1m(3'3")	
Switch	Biased off, double pole		Biased off, double pole		Illuminated low voltage trip with overload protection	
Motor	Continuous heavy duty AC/DC self cooling 4 brush		Continuous heavy duty AC/DC self cooling 4 brush		Continuous heavy duty AC/DC self cooling 4 brush	
Motor rpm	10,000		10,000		8,500	
Disc pad/drum rpm	3,000		3,000		3,300	
Sanding disc/pad/drum	178mm (7") dia. nylon and rubber bonded		400mm x114mm (15.75"x 4.5") mdf back with nylon loop face		200mm (8") wide, moulded rubber	
Disc pad/drum/guard	High impact ABS with bronze bush		Fully enclosed alloy skirt, with none marking bumper		High impact, ABS	
Abrasive	178mm (7") dia. with 22mm (7/8") dia. centre hole 24g to 120g fibre or paper backed		400mm x115mm (15.75"x 4.5") sheet with nylon loop back 40g to 120g. Screen 60g to 150g		495mm (19.5") total length x 203mm (8") wide with notched and angled ends 24g to 120g.	
Drive	Hardened steel alloy pinion and large diameter aluminium bronze drive gear		Non-slip toothed timing belts with toughened steel pinion and drive gear		Non-slip toothed timing belts and gear cut pulleys.	
Moving parts	Sealed for life ball bearings		Sealed for life ball bearings		Sealed for life ball bearings	
Dust pick up	Seated oversize vacuum fan disposable paper dust bags or cloth bag		Seated oversize vacuum fan, disposable paper dust bags or cloth bag		Seated oversize wide blade vacuum fan with adjustable dust pan, disposable paper dust bags or cloth bag	
Weight	15kg (33lbs)		43kg (95lbs)		44kg (97lbs)	

AGENT DETAILS