


KTZ33.7-54/64



C-01552-1

MODEL NO. : KTZ33.7-54/64

CONTROL NO.	OUTPUT	VOLTAGE	DISCHARGE	-	-	DISCONTINUED IN
IKTZ-56-1-1	3.7KW		80mm	-	-	

No.	PARTS NO.	DESCRIPTION	Q'TY	SPECIFICATION	MATERIALS	WEIGHT(kg)
1	801140074159	Hex.Bolt	2	M10x20	SUS304	0.024
2	801068000369	Handle	1	KTZ23.7/45.5	SGP+SS	0.42
3	801010124159	Cable Clip Rubber	1	No.3	NBR	0.02
4	801010120189	Cable Clip	1	No.2-1	SPC	0.025
5	801140032379	Hex.Bolt	1	M6x15	SWRM	0.001
6	801141004599	Hex.Nut	1	M6	SWRM	0.003
7	801095000999	Chain	1	4mm(3L)L=29.4	SS	0.02
8	801011000449	Shackle	1	#5(for Clip)	SS	0.015
9	801001840169	Cabtyre Cable Set (8m)220V-60Hz	1	2PNCTF4Cx2mm2	KTZ	3.4
9	801001840169	Cabtyre Cable Set (8m)380/400/415V-50Hz	1	2PNCTF4Cx2mm2	KTZ	3.4
9	801001840169	Cabtyre Cable Set (8m)380/440/460V-60Hz	1	2PNCTF4Cx2mm2	KTZ	3.4
9	801001840329	Cabtyre Cable Set (15m)380/400/415V-50Hz(AUS)	1	2PNCTF4Cx2mm2	KTZ	5.5
	***	The above cable assembly includes:		No.11,13,14 and 15		
10	801140060189	Hex.Bolt	4	M8x50	SUS304	0.025
11	801006167179	Stuffing Box 220V-60Hz	1	No.1-3	FC	0.675
11	801006167179	Stuffing Box 380/400/415V-50Hz	1	No.1-3	FC	0.675
11	801006167179	Stuffing Box 380/440/460V-60Hz	1	No.1-3	FC	0.675
11	801006167179	Stuffing Box 380/400/415V-50Hz(AUS)	1	No.1-3	FC	0.675
12	801122121129	O-Ring	1	G-50(49.4xd3.1)	NBR	0.001
13	801004167119	Cable Bush 220V-60Hz	1	No.1	CR	0.065
13	801004167119	Cable Bush 380/400/415V-50Hz	1	No.1	CR	0.065
13	801004167119	Cable Bush 380/440/460V-60Hz	1	No.1	CR	0.065
13	801004167119	Cable Bush 380/400/415V-50Hz(AUS)	1	No.1	CR	0.065
14	801008156199	Mould Cover 220V-60Hz	1	No.1-3	ADC	0.065
14	801008156199	Mould Cover 380/400/415V-50Hz	1	No.1-3	ADC	0.065
14	801008156199	Mould Cover 380/440/460V-60Hz	1	No.1-3	ADC	0.065
14	801008156199	Mould Cover 380/400/415V-50Hz(AUS)	1	No.1-3	ADC	0.065
15	801009126139	Terminal 220V-60Hz	4	1.25mm2/2mm2	Nylon	0.002
15	801009126139	Terminal 380/400/415V-50Hz	4	1.25mm2/2mm2	Nylon	0.002
15	801009126139	Terminal 380/440/460V-60Hz	4	1.25mm2/2mm2	Nylon	0.002
15	801009126139	Terminal 380/400/415V-50Hz(AUS)	4	1.25mm2/2mm2	Nylon	0.002
16	801002135149	Heat Shrink Tube (Sold per meter)	m	A(d15x0.3t)	(¥/m)	0.015
17	801140000879	Hex.Bolt	4	M10x35(B=14)	SUS304	
18	801142128249	Plain Washer	4	M10	SPC	0.001
19	801032000839	Hose Coupling	1	KTZ33.7/5.5(Angle,80mm)	ADC	0.95
19	801032000919	Hose Coupling (for AUS)	1	KTZ33.7/5.5(Angle,BSPT-3)	FC	3.05
20	801121001489	Packing	1	KTZ-3.7/7.5(Angle)	NBR	0.04

MODEL NO. : KTZ33.7-54/64

CONTROL NO.	OUTPUT	VOLTAGE	DISCHARGE	-	-	DISCONTINUED IN
IKTZ-56-1-1	3.7KW		80mm	-	-	

No.	PARTS NO.	DESCRIPTION	Q'TY	SPECIFICATION	MATERIALS	WEIGHT(kg)
21	801140079109	Hex.Bolt	4	M10x40	SUS304	0.035
22	801142164199	Spring Washer	4	M10	SUS304	0.001
23	801070117119	L-Shape Fitting	1	40x25x4.5t d13Hole	SPC	0.035
24	801050001069	Motor Bracket	1		FC	7.1
25	801122276139	O-Ring	1	160xd3.1	NBR	0.005
26	801053241259	Motor Protector 220V-60Hz	1	KA313-GGXL110	(T.C)	0.025
26	801053000029	Motor Protector 380/400/415V-50Hz	1	KA313-GDVL103	(T.C)	0.025
26	801053000029	Motor Protector 380/440/460V-60Hz	1	KA313-GDVL103	(T.C)	0.025
26	801053000029	Motor Protector 380/400/415V-50Hz(AUS)	1	KA313-GDVL103	(T.C)	0.025
27	801143126259	Pan Screw (w/Spring Washer/Plain Washer)	2	M4x12	SWRM	
28	801009293129	Earth Terminal	1Set	2mm2x180L		
29	801143085219	Pan Screw (w/Spring Washer)	1	M4x6	SWRM	0.001
30	801142196109	Wave Washer	1	6205/6304	SK5	0.001
31	801052107129	Bearing	1	6304ZZC3		0.15
32	801122367129	O-Ring	1	52xd3.1	NBR	0.001
33	801058000049	Lead Wire Protection Plate	1	d66xd150x1.5t	Bakelite	0.033
34	821055000779	Rotor	1Set			
35	801147138199	Impeller Key	1	5x5x25L	SUS420	
36	821056000839	Stator 220V-60Hz	1Set			
36	821056000849	Stator 380/400/415V-50Hz	1Set			
36	821056000849	Stator 380/440/460V-60Hz	1Set			
36	821056000849	Stator 380/400/415V-50Hz(AUS)	1Set			
37	801121506129	Packing (Water Way, Upp.)	1	KTZ23.7/33.7/43.7	NBR	0.015
38	801064002079	Motor Frame	1		FC150	
39	801140078199	Hex.Bolt	4	M10x35	SUS304	0.031
40	801142164199	Spring Washer	4	M10	SUS304	0.001
41	801121247129	Packing	1	d12.3xd18x2t	Polyethylene	0.001
42	801140000179	Hex.Bolt (w/Flange)	1	M12x15(Oil Plug)	SUS304	0.042
43	801140000239	Hex.Bolt (w/Spring Washer)	4	M5x10	SWRM	
44	801062000029	Bearing Cover	4	d5.5xd18x2t	SPC	
45	801052110189	Bearing	1	6307ZZC3		0.48
46	801122133179	O-Ring	1	G-110(109.4xd3.1)	NBR	0.001
47	801060001769	Bearing Housing	1		FC	1.3
48	801142163349	Spring Washer	4	M8	SWRH	0.001
49	801140054489	Hex.Bolt	4	M8x20	SWRM	0.012
50	801025001009	Mechanical Seal	1	H-25T(ROHS)(E)	SIC	0.12
50	801025255129	Mechanical Seal	1	H-25T	SiC	0.12

MODEL NO. : KTZ33.7-54/64

CONTROL NO.	OUTPUT	VOLTAGE	DISCHARGE	-	-	DISCONTINUED IN
IKTZ-56-1-1	3.7KW		80mm	-	-	

No.	PARTS NO.	DESCRIPTION	Q'TY	SPECIFICATION	MATERIALS	WEIGHT(kg)
51	801143070239	Pan Screw	2	M5x6	SWRM	0.001
52	801030143129	Oil Lifter	1	H-25(A)(T)	Resin	0.043
53	801143070109	Pan Screw	4	M5x6	SWRM	0.001
54	801030148179	Seal Stopper	1	HT-2530	SPCC	0.078
55	801122283139	O-Ring	1	165xd3.1	NBR	0.001
56	801121124129	Packing (Water Way, Low.)	1	KTV-37/55	NBR	0.025
57	801020001029	Pump Casing	1	KTZ23.7/33.7/43.7	FC	9
58	801026144499	Oil Seal	1	TC-40588	NBR	0.025
59	801040106279	Impeller Shim		d20.2xd30x0.3t	SUS304	0.001
60	801021L16179	Impeller (50Hz)	1	KTZ33.7-54	HiCrFC	2
60	801021L17189	Impeller (60Hz)	1	KTZ33.7-64	HiCrFC	1.6
61	801047104269	Impeller Thread Protect.Cover	1	No.3B(18)	SUS304	0.012
62	801142166119	Spring Washer	1	M16	SUS304	0.01
63	801141033159	Hex.Cap Nut	1	M16	SUS304	0.035
64	801120109219	Packing (S.Cover)		d180xd222x0.5t(d12)	Polyethylene	0.006
65	801022000559	Suction Cover	1	KTZ33.7/35.5	FCD	2.4
66	801142128249	Plain Washer	3	M10	SPC	0.001
67	801140074159	Hex.Bolt	3	M10x20	SUS304	0.024
68	801142128249	Plain Washer	3	M10	SPC	0.001
69	801144000319	Stud Bolt	3	M10x94(20/14)	SUS410	
70	801023471109	Strainer Stand	1	KTZ23.7/45.5	SPCC	1.3
71	801142128249	Plain Washer	3	M10	SPC	0.001
72	801141006779	Hex.Nut	3	M10	S45C	0.01
		<Packing O-Ring Set>				
	801173003339	Packing O-Ring Set	1Set	(Marked by *)		0.09
12	801122121129	O-Ring (S.Box)	1	G-50(49.4xd3.1)	NBR	0.001
20	801121001489	Packing (Hose Coupling)	1	KTZ-3.7/7.5(Angle)	NBR	0.04
25	801122276139	O-Ring (M.Bracket/M.Frame)	1	160xd3.1	NBR	0.005
32	801122367129	O-Ring (Upp. Bearing)	1	52xd3.1	NBR	0.001
37	801121506129	Packing (Water Way, Upp.)	1	KTZ23.7/33.7/43.7	NBR	0.015
41	801121247129	Packing (Oil Plug)	1	d12.3xd18x2t	Polyethylene	0.001
46	801122133179	O-Ring (M.Frame/Brg.Housing)	1	G-110(109.4xd3.1)	NBR	0.001
55	801122283139	O-Ring (M.Frame/P.Casing)	1	165xd3.1	NBR	0.001
56	801121124129	Packing (Water Way, Low.)	1	KTV-37/55	NBR	0.025
		Lubricant		Turbine Oil VG32 1,250ml		