

Evaluation Only. Created with Aspose.Words. Copyright 2003-2021 Aspose Pty Ltd.




**Created with an evaluation copy of Aspose.Words. To discover the full versions of our APIs
please visit: <https://products.aspose.com/words/>**



Barron & Rawson Pty Ltd Established 1947

ROADLINER 2000™ SERIES

TOUGH - ROAD BARRIER SYSTEM




RoadLiner 2000™ Series is a uniquely designed flexible road barrier system that will adapt to any road or worksite condition or contour, crowd control or security situation



Australia's Leader in Industrial & Consumer Rotational Moulding

ROADLINER

TOUGH - ROAD BA



RoadLiner 2000™ Series is manufactured from tough high impact polyethylene that provides easy handling and flexibility, yet has strength and durability when water filled.


This means one person can install a complete system to meet any situation.

The design features built in to the **RoadLiner 2000™ Series**, make it the most adaptable, flexible and functional road barrier system available.

- Pivot sections - up to 75°
- Barrier End sections
- Safety infill panels
- Water level indicators
- Recesses for lights, signs and fences
- Drain points on each side

The exclusive interlocking "S" design ensures maximum strength, while the unique pivot feature allows for all road contours and conditions.


All barrier sections are available in highly visible Safety Orange or White making this one of the most versatile and secure barrier systems on the market.




Australia's Leader in Industrial &

2000™ SERIES

BARRIER SYSTEM



RoadLiner 2000™ Series Accessories




Safety Infill Panels





Barrier End Section

Both available in Safety Orange or White



Pivot section supplied in Safety Orange and White - allows angle adjustment up to 75°.



Moulded recesses in barrier provide for fixing of crowd control and security fences, signage and warning lights.





Specially designed tool for quick and easy bung removal.




Water level indicators are available for easy drive-by inspection of water levels.

SPECIFICATIONS




Barrier End Section




Safety Infill Panels

RoadLiner 2000™ Series

is manufactured to rigid specifications under AS/NZS ISO 9002:1994. This high quality system has been developed to meet the stringent test procedures to be contained in the joint Australia New Zealand standard.




Barrier Pivot Section



Security Fence

| Product | Effective Length | Width | Height | Weight Empty | Weight Full |
|-----------------------------|------------------|--------|--------|-------------------|-------------|
| RoadLiner 2000™ Barrier | 2000mm | 600mm | 850mm | 38kg | 500kg |
| RoadLiner 2000™ Barrier End | 600mm | 600mm | 850mm | 12kg | 170kg |
| Barrier Pivot Section | 1500mm | 600mm | 850mm | 28kg | 340kg |
| Security Fence | N.A. | 1940mm | 1640mm | 23kg | N.A. |
| Water Level Indicator | N.A. | N.A. | 80mm | Visible Extension | |
| Safety Infill Panels | N.A. | 200mm | 267mm | 3.5 kg | N.A. |



Water Level Indicator



Barron & Rawson Pty Ltd Established 1947

Australia's Leader in Industrial & Consumer Rotational Moulding

